

**BE-LONG CORPORATION**

P.O.Box 139. Gulou Post office, Nanjing 210008, China

Tel : ++86-25-84712602 Fax: ++86-25-84709922

<http://www.be-longgroup.com>Email: [business@be-long.com.cn](mailto:business@be-long.com.cn)

## Sodium Carboxymethyl Cellulose COA for construction and ceramic

### Certificate of Analysis

Construction grade [Sodium Carboxymethyl Cellulose](#)

Type	Viscosit (2% aq.sol.25 ℃) mpas	Substi- tution degree (D.S)	PH	Chloride (NaCl %)	Drying Loss (%)	Heavy Metal (%) (Pb)	Fe (%)	As (%)
<b>TCH<sub>6</sub>-1</b>	900-1200	≥0.65	6.5-8.5	≤20	≤10.0	-	-	-
<b>TCH<sub>6</sub>-2</b>	900-1200	≥0.65	6.5-8.5	≤15	≤10.0	-	-	-
<b>TCM<sub>6</sub></b>	9.0-9.5	≥0.65	6.5-8.5	≤20	≤10.0	-	-	-
<b>TCH<sub>9</sub>-1</b>	900-1200	≥0.92	6.5-8.0	≤3	≤10.0	≤0.002	≤0.0005	≤0.03
<b>TCH<sub>9</sub>-2</b>	1200-150 0	≥0.92	6.5-8.0	≤3	≤10.0	≤0.002	≤0.0005	≤0.03
<b>TCL<sub>9</sub></b>	20-50	≥0.92	6.5-8.0	≤3	≤10.0	≤0.002	≤0.0005	≤0.03
<b>TCL<sub>9</sub></b>	400-600	≥0.92	6.5-8.0	≤3	≤10.0	≤0.002	≤0.0005	≤0.03